



ATOZ

WOOD COMPANY

TECHNICAL DATA

● MAKORE TIMBER ●

CONTACT INFORMATION

ASPECT

- WEBSITE
- EMAIL
- PHONE
- DATA SHEET DATE
- WOOD SAMPLE


DETAIL

- WWW.ATOZWOODCOMPANY.COM
- INFO@ATOZWOODCOMPANY.COM
- +237 681 25 6934
- 03/31/2023



SPECIES IDENTIFICATION & GENERAL CHARACTERISTICS

- | | |
|---|--|
| <ul style="list-style-type: none">• TRADE NAME• LATIN NAME• ORIGIN• SAPWOOD• COLOR• GRAIN• TEXTURE• HARDNESS• MOVEMENT• DRYING• SURFACE | <ul style="list-style-type: none">• MAKORE, AFRICAN CHERRY• TIEGHEMELLA HECKELII• WEST & CENTRAL AFRICA• PALE YELLOW TO OFF-WHITE• PINKISH-RED• STRAIGHT TO INTERLOCKED• UNIFORM TEXTURE• HARD, 1100-1200 LBF• LOW TO MODERATE• DRIES SLOWLY• HIGH NATURAL SHEEN |
|---|--|



PHYSICAL CHARACTERISTICS

PROPERTY	VALUE
• DENSITY (SPECIFIC GRAVITY)	• 620 – 720 KG/M ³ (0.55 – 0.68)
• DENSITY AT 12% HUMIDITY (MV12)	• ~650 – 700 KG/M ³
• COEFF. OF VOLUMETRIC SHRINKAGE	• 0.38 – 0.44%
• FIBER SATURATION POINT	• 25 – 27%
• TOTAL TANGENTIAL SHRINKAGE (TS)	• 6.2 – 7.0%
• TOTAL RADIAL SHRINKAGE (RS)	• 4.5 – 5.2%
• TS/RS RATIO	• ~1.3 – 1.4 (HIGH DIMENSIONAL STABILITY)
• SLIP RESISTANCE	• R10 – R11

DURABILITY

PROPERTY	CLASSIFICATION	NOTES
• USE CLASS	• CLASS 3–4	Exterior / In-Ground
• FUNGI RESISTANCE	• CLASS 1-2	Very Durable
• TERMITE RESISTANCE	• CLASS 1-2	High Resistance
• MARINE BORER	• MODERATE	Good Marine Use
• TREATABILITY	• CLASS 4	Extremely Resistant

Notes On Durability: The Duration Of Performance May Be Modified By The Situation In Service (As Described By Standard NF EN 335-2 Of January 2007).

PRODUCT USE & AVAILABILITY

High-End Furniture, Luxury Cabinetry, Decorative Veneers, Boat Building, Architectural Millwork, Turnery, And Heavy Durable Construction.

Available In:	Sawn Timber, Square Logs, Kiln-Dried Boards, Decorative Veneers
Certifications:	FSC / PEFC / CITES Compliant (Subject To Availability).
Minimum Order:	35 CBM
Supply Ability:	18,000 M ³ /Month

HANDLING, STORAGE, AND RECYCLING

ASPECT	INSTRUCTION
• Safety	• Contains Silica; Sharp Tools Required. Dust May Cause Mild Respiratory Irritation. Use Proper PPE.
• Storage	• Keep In Dry, Covered, Well-Ventilated Areas Elevated Above Ground.
• Recycling	• Suitable For High-Grade Wood Recycling, Architectural Biomass, Or Specialty Pulp Recovery.
• Maintenance	• Highly Durable Naturally. Polishes And Varnishes Enhance Figures (Fiddled/Mottled Grain).

WHY GLOBAL BUYERS CHOOSE ATOZ WOOD COMPANY




Variety Of Products



Sustainable Supply
And Reasonable Price



High Quality Products



Easy Ordering Process



Loyal Vendor And Thousands
Of B2B Partners All Over
The World.



Order By Air Or By Sea
Based On Incoterm
2010.

UNIVERSIDAD DE ZARAGOZA

INFORMACIÓN DE LA ASIGNATURA

ASIGNATURA: MATEMÁTICAS

PROFESOR: D. JUAN CARLOS GARCÍA

1. DATOS PERSONALES

Nombre y apellidos: _____

DNI: _____

Fecha de nacimiento: _____

Sexo: ☐ Masculino ☐ Femenino

2. DATOS ACADÉMICOS

Grado: _____

Curso: _____

3. DATOS DE CONTACTO

Dirección: _____

Código postal: _____

Ciudad: _____

Provincia: _____

País: _____

Teléfono: _____

Móvil: _____

Correo electrónico: _____

4. OBSERVACIONES

5. FIRMA

Firma del alumno: _____

Firma del profesor: _____

[illegible][illegible]

 **FSC**

Prepared by Norske - NEPCO on 03 January confirms that the Chain of Custody and Controlled Wood system of

ATOZ WOOD COMPANY SARL

F/O BOX 2057 DOUALA BG BOULEVARD DE LA LIBERTÉ,
CAMEROON

Has been assessed and certified as meeting the requirements of
FSC C01-46-864 V3-0 FSC C01-46-864 V3-0 FSC C01-46-864 V3-0

The certificate is valid from 22-02-2022 to 22-02-2027
Certificate number: FSC-COC-1661


QUALITY COMPLIANCE CERTIFICATION INDIA LLP
CERTIFICATE OF REGISTRATION
This is to certify that
ATOZ WOOD COMPANY SARL
PO BOX 20999 DIOU ALABA, BOULEVARD DE LA LIBERTE, CAMEROON
The Quality Management System of this Organization has been independently audited by QCCI
and found to be Compliant with the requirements of the standard in total before
ISO 9001:2015
(QUALITY MANAGEMENT SYSTEM)
For the following scope of activities:
MANUFACTURING, WHOLESALE & TRADING OF TIMBER, WOOD LOGS,
SAW N TIMBER, SLABS, VENEERS, WOOD BY PRODUCTS, WOOD TREATMENT,
PROCESSING, EXPORT, IMPORTS, RICKS & BAGS AND GLOBAL TIMBER
SUPPLY SERVICES.
Certificate Number: QCCI240/PBZ4878
Date of Issue of Certificate: 18-06-2024
1st Surveillance Date: 13-06-2025
2nd Surveillance Date: 15-06-2026
Date of expiry of certificate: 13-06-2027
  
QUALITY COMPLIANCE CERTIFICATION INDIA LLP
C.A.B 488/00 Harland Avenue, 5th, Washington, D.C. 20001, U.S.
This Certificate Awarded The Property Rights of QCCI and Shall be Withdrawn Whenever Demand.
QCCI LLP is an Independent Entity. Product and Personnel Assessment Valid
QCCI LLP is Registered by United States Accreditation Center.

 **ATOZ WOOD COMPANY SARL**
P.O BOX 2099 DOUALA 86, BOULEVARD DE LA LIBERTÉ.
Tel: +237 681 25 6934

[illegible]

 **ATOZ WOOD COMPANY SARL**
P.O BOX 2099 DOUALA 86, BOULEVARD DE LA LIBERTÉ.
Tél: +237 681 25 6934

CERTIFICATE OF ORIGIN

DESCRIPTION OF GOODS	CERTIFICATE NUMBER	SEAL NO.	NET WEIGHT	TOTAL GROSS
CHLOROPHORA EXCELSA - MOREIRA MOZITA SERRADA DE TABUAS	CAN00073624	1382342	21.45000	28.000
			21.45000	28.000



Indonesian
LEGAL
Wood



EU TR

FLEGT
licensed timber

PAYMENT TERM:

1. Cash In Advance: Half The Payment Is Made Upfront, And The Rest Is To Be Paid Upon Delivery. The Percentage Of Cash To Be Paid In Advance Is Negotiable.
2. Atoz Wood Comapny Accepts Payment By T/T, Bank To Bank Transfer For New Buyers And Letter Of Credit For Loyal Old Customers.

WE PROVIDE MAJOR EXPORT CERTIFICATES SUCH AS

- ☐ Commercial Invoice
- ☐ Packing List
- ☐ Bill Of Lading
- ☐ Phytosanitary Certificate
- ☐ Kiln-Drying Certificate
- ☐ Certificate Of Origin
- ☐ Insurance Certificate
- ☐ CITES
- ☐ Fumigation Certificate (If Required)
- ☐ Inspection Reports

DISCLAIMER

AtoZ Wood Company Declines All Responsibility In The Event Of An Error Or In The Event Of A Reassessment Of The Technical Characteristics Mentioned In The Document By CIRAD After Publication Of The Species Sheets